

Diversity Tool

	Column 1 List behaviors typically associated with this culture, religion, and developmental level	Column 2 List HEALTH behaviors typically associated with this culture, religion, and developmental level	What behaviors does your patient display that are the same as those listed in columns 1 and 2?	What behaviors does your patient display that are not consistent with those listed in columns 1 and 2?	Considerations for nursing interventions.
Date: What is your patient's:					
Culture:					
Religion:					
Developmental Level:					

Rubric for Grading the Diversity Tool

	3	2	1	0
List behaviors typically associated with this culture, religion, and developmental level.	Lists at least 5 behaviors typically associated with the patient's culture, religion, and developmental level and documents source of information.	Lists only 3 behaviors typically associated with the patient's culture, religion, and developmental level and documents source of information.	Lists less than 3 behaviors typically associated with the patient's culture, religion, and developmental level but unable to document source of information.	Unable to list behaviors typically associated with this culture, religion, and developmental level.
List HEALTH behaviors typically associated with this culture, religion, and developmental level	Lists at least 5 health behaviors typically associated with the patient's culture, religion, and developmental level and documents source of information.	Lists only 3 health behaviors typically associated with the patient's culture, religion, and developmental level and documents source of information.	Lists less than 3 health behaviors typically associated with the patient's culture, religion, and developmental level but unable to document source of information.	Unable to list any health behaviors typically associated with this culture, religion, and developmental level.
What behaviors does your patient display that are the same as those listed in columns 1 and 2? What behaviors does your patient display that are not consistent with those listed in columns 1 and 2?	Assesses patient and able to identify at least 5 behaviors the patient displays that are either the same or different than the behaviors typically associated with the patient's culture, religion, and developmental level.	Assesses patient and able to identify only 3 behaviors the patient displays that are either the same or different than the behaviors typically associated with the patient's culture, religion, and developmental level.	Assesses patient and able to identify less than 3 behaviors the patient displays that are either the same or different than the behaviors typically associated with the patient's culture, religion, and developmental level.	Unable to identify behaviors the patient displays that are either the same or different than the behaviors typically associated with the patient's culture, religion, and developmental level.
Considerations for nursing interventions.	Able to identify at least 5 factors to consider when planning patient care based on the patient's culture, religion, and developmental level and alterations in nursing interventions associated with those factors.	Able to identify at least 3 factors to consider when planning patient care based on the patient's culture, religion, and developmental level and alterations in nursing interventions associated with those factors.	Identifies less than 3 factors to consider when planning patient care based on the patient's culture, religion, and developmental level and alterations in nursing interventions associated with those factors.	Unable to identify factors to consider when planning patient care based on the patient's culture, religion, and developmental level and alterations in nursing interventions associated with those factors.

